



5. The image processing method according to claim 2, wherein said composite processing comprises a step of adjusting a size and angle of the eye, colors and densities of an eyelid, a pupil and neighbor of the eye in an image to composite so as to conform to those in an image to be composited.

6. The image processing method according to claim 5, wherein said adjusting step is performed automatically based on one or more characteristics of image characteristics of said image to be composited including a color and density of the neighbor of the eye, a position of each eye, a distance between both eyes, a size of the eye and a size of a face.

7. The image processing method according to claim 5, wherein said adjusting step is performed manually by an operator based on a menu which changes a size, angle, color, density and aspect ratio of the eye of said image to composite.

8. The image processing method according to claim 1,

opening a closed eye based on the thus assumed movement. ..

- opening the closed eye based on the thus learned image conversion.

10. The image processing method according to claim 8, wherein a degree of opening the closed eye is adjustable in said eye correction processing.

14. The image processing method according to claim 13, wherein, as the characteristics of the neighbor, at least one or more information of a color and size of a pupil, a length of eyelashes, a color of skin of an eyelid and the neighbor of the eye, a single-edged eyelid or a double-edged eyelid, a position of the eye and the size and shape of the eye are utilized.

15. The image processing method according to claim 1, wherein a position or a shape of a pupil can be changed to be capable of adjusting a line of vision by both eyes.

16. An image processing apparatus for receiving image data from an image input device, performing preset image processing on the inputted image data and outputting processed image data as output image data to an image output device, comprising an eye correction processing device which corrects a closed eye image in a human image having an eye in a closed state into an eye image in an open state.

17. The image processing apparatus according to claim 16, further comprising an image display device, which controls such that an enlarged image of a neighbor of the eye can be displayed on said image display device while said eye correction processing device performs said eye correction processing for opening a closed eye.

09593142 1030000